


Linux From Scratch - Version 12.1-systemd		
Chapter 1. Introduction		
	/	

1.5.

LFS 가 , 1.4 “ ”

LFS 가 LFS 가

 LFS 가

FAQ

가 . 가


FAQ

IRC 가 LFS 가 (FAQ 1.4)

)

1.5.1.

- (12.1-systemd)
- LFS
-
- 가
-
-

 가 LFS 가

가

1.5.2.

가
가 config.log

1.5.3.

make

make

```
gcc -DALIASPATH=\"/mnt/lfs/usr/share/locale:.\" -  
DLOCALEDIR=\"/mnt/lfs/usr/share/locale\" -DLIBDIR=\"/mnt/lfs/usr/lib\" -  
DINCLUDEDIR=\"/mnt/lfs/usr/include\" -DHAVE_CONFIG_H -I. -I. -g -O2 -c  
getopt1.c  
gcc -g -O2 -static -o make ar.o arscan.o commands.o dir.o expand.o file.o  
function.o getopt.o implicit.o job.o main.o misc.o read.o remake.o rule.o  
signame.o variable.o vpath.o default.o remote-stub.o version.o opt1.o  
-lutil job.o: In function `load_too_high'.  
/lfs/tmp/make-3.79.1/job.c:1565: undefined reference  
to `getloadavg'  
collect2: ld returned 1 exit status  
make[2]: *** [make] Error 1  
make[2]: Leaving directory `/lfs/tmp/make-3.79.1'  
make[1]: *** [all-recursive] Error 1  
make[1]: Leaving directory `/lfs/tmp/make-3.79.1'  
make: *** [all-recursive-am] Error 2
```

가

```
make [2]: *** [make] Error 1
```

가

가

From:
<https://www.gamu.kr/dokuwiki/> -

Permanent link:
<https://www.gamu.kr/dokuwiki/linuxfromscratch/12.1/014-help?rev=1716788552>

Last update: 2024/05/27 05:42

