

4.4.

bash

.bash_profile : lfs

```
cat > ~/.bash_profile << "EOF"
exec evn -i HOME=$HOME      =$TERM PS1='\u:\w\$ ' /bin/bash
EOF
```

lfs " - " su lfs
/etc/profile(가)
.bash_profile .bash_profile exec env -i.../bin/bash
HOME,TERM PS1 가
가
non-login , /etc/profile .bash_profile
.bashrc .bashrc :

```
cat > ~/.bashrc << "EOF"
set +h
umask 022
LFS=/mnt/lfs
LC_ALL=POSIX
LFS_TGT=$(uname -m)-lfs-linux-gnu
PATH=/usr/bin
if [ ! -L /bin ]; then PATH=/bin:$PATH; fi
PATH=$LFS/tools/bin:$PATH
CONFIG_SITE=$LFS/usr/share/config.site
export LFS LC_ALL LFS_TGT PATH CONFIG_SITE
EOF
```

.bashrc

- **set +h**
set +h bash , PATH /usr/bin /bin \$LFS/tools/bin
- **umask 022**
(umask) 022 (가 open(2) 가 644 , 755).
- **LFS=/mnt/lfs**
LFS
- **LC_ALL=POSIX**
LC_ALL 가 가 . LC_ALL "POSIX" "C" ()
- **LFS_TGT=\$(uname -m)-lfs-linux-gnu**

LFS_TGT

가

- **PATH=/usr/bin**

/bin /usr/bin

6

PATH /usr/bin/

/bin 가

- **if [! -L /bin]; then PATH=/bin:\$PATH; fi**

/bin 가 PATH 가

- **PATH=\$LFS/tools/bin:\$PATH**

PATH \$LFS/tools/bin 5 가

가

- **CONFIG_SITE=\$LFS/usr/share/config.site**

5 6 가 configure 가

/usr/share/config.site

- **export ...**

/etc/bash.bashrc

bash

가

LFS

lfs

. lfs



/etc/bash.bashrc가

root

:

```
[ ! -e /etc/bash.bashrc ] || mv -v /etc/bash.bashrc /etc/bash.bashrc.NOUSE
```

lfs 가 (7) /etc/bash.bashrc

()

8.35 "Bash-5.2.21"

LFS Bash

/etc/bash.bashrc

LFS

가

가 () make

"parallel make"

i9-13900K

8

P()

16

E()

가

, P

2

P

2

make -j32

make가 32

가

```
make -j32
```

MAKEFLAGS

make

:

```
export MAKEFLAGS=-j32
```



-j
make가

make

MAKEFLAGS

5 6
MAKEFLAGS :

.bashrc

```
cat >> ~/.bashrc << "EOF"
export MAKEFLAGS=-j$(nproc)
EOF
```

\$(nproc)

bash

```
source ~/.bash_profile
```

From:
<https://www.gamu.kr/dokuwiki/> -

Permanent link:
https://www.gamu.kr/dokuwiki/linuxfromscratch/12.1/028-setting_up_the_environment?rev=1714704653

Last update: 2024/05/03 02:50

