

Linux From Scratch - Version 12.1-systemd		
Chapter 5. Compiling a Cross-Toolchain		
	/	
GCC-13.2.0 - 1		

5.2. Binutils-2.42 - 1

Binutils

가

- : 1 SBU
- : 663 MB

5.2.1. Cross Binutils



가

Glibc GCC

가
Binutils 가 가

Binutils

Binutils

```
mkdir -v build
cd build
```



SBU

```
time {
  ../configure ... && make && make install; }
time
```

Binutils

```
../configure --prefix=$LFS/tools \
  --with-sysroot=$LFS \
  --target=$LFS_TGT \
  --disable-nls \
  --enable-gprofng=no \
  --disable-werror \
```

--enable-default-hash-style=gnu

- `-prefix=$LFS/tools`
가 \$LFS/tools Binutils
- `-with-sysroot=$LFS`
\$LFS
- `-target=$LFS_TGT`
LFS_TGT **config.guess** 가 binutils
configure
- `-disable-nls`
i18n
- `-enable-gprofng=no`
gprofng
- `-disable-werror`
가 가
- `-enable-default-hash-style=gnu`
GNU
ELF 가
GNU LFS (Glibc) 가
GNU ELF 가
ELF

make

make install

8.19.2, "Binutils "

From: <https://www.gamu.kr/dokuwiki/> -

Permanent link: https://www.gamu.kr/dokuwiki/linuxfromscratch/12.1/035-binutils-2.42_-_pass_1?rev=1717740183

Last update: 2024/06/07 06:03



