

<b>Linux From Scratch - Version 12.1-systemd</b>		
<b>Chapter 5. Compiling a Cross-Toolchain</b>		
	/	
GCC-13.2.0 - 1		

## 5.2. Binutils-2.42 - 1

Binutils

가

- : 1 SBU
- : 663 MB

### 5.2.1. Cross Binutils



가

Glibc GCC

가  
Binutils 가 가

Binutils

Binutils

```
mkdir -v build
cd build
```



SBU

```
time {
  ../configure ... && make && make install; }
time
```

Binutils

```
../configure --prefix=$LFS/tools \
  --with-sysroot=$LFS \
  --target=$LFS_TGT \
  --disable-nls \
  --enable-gprofng=no \
  --disable-werror \
```

## --enable-default-hash-style=gnu

- `-prefix=$LFS/tools`  
가 \$LFS/tools Binutils
- `-with-sysroot=$LFS`  
\$LFS
- `-target=$LFS_TGT`  
LFS\_TGT **config.guess** 가 binutils  
**configure**
- `-disable-nls`  
i18n
- `-enable-gprofng=no`  
gprofng
- `-disable-werror`  
가 가
- `-enable-default-hash-style=gnu`  
GNU  
ELF 가  
GNU ELF 가  
GNU ELF 가

make

make install

### 8.19.2, "Binutils"

From: <https://www.gamu.kr/dokuwiki/> -

Permanent link: [https://www.gamu.kr/dokuwiki/linuxfromscratch/12.1/035-binutils-2.42\\_-\\_pass\\_1?rev=1718381387](https://www.gamu.kr/dokuwiki/linuxfromscratch/12.1/035-binutils-2.42_-_pass_1?rev=1718381387)

Last update: 2024/06/14 16:09



