

Linux From Scratch - Version 12.1-systemd
--

Chapter 6. Cross Compiling Temporary Tools

	/	
--	---	--

Binutils-2.42 - Pass 2	Entering Chroot and Building Additional Temporary Tools
------------------------	---

6.18. GCC-13.2.0 - 2

GCC C C++ 가 GNU .

: 4.4 SBU
: 4.8 GB

6.18.1. GCC

GCC 가 GMP, MPFR MPC 가 .

```
tar -xf ../mpfr-4.2.1.tar.xz
mv -v mpfr-4.2.1 mpfr
tar -xf ../gmp-6.3.0.tar.xz
mv -v gmp-6.3.0 gmp
tar -xf ../mpc-1.3.1.tar.gz
mv -v mpc-1.3.1 mpc
```

x86_64 64 "lib" .

```
case $(uname -m) in
x86_64)
    sed -e '/m64=/s/lib64/lib/' \
        -i.orig gcc/config/i386/t-linux64
;;
esac
```

POSIX libgcc libstdc++ .

```
sed '/thread_header =/s/@.*@/gthr-posix.h/' \
-i libgcc/Makefile.in libstdc++-v3/include/Makefile.in
```



```
make
```

```
make DESTDIR=$LFS install
```

```
UNIX . cc GNU C 가 gcc cc ,  
가 C
```

```
ln -sv gcc $LFS/usr/bin/cc
```

8.28.2, "GCC"

From:
<https://www.gamu.kr/dokuwiki/> -

Permanent link:
https://www.gamu.kr/dokuwiki/linuxfromscratch/12.1/057-gcc-13.2.0_-_pass_2?rev=1716812713

Last update: **2024/05/27 12:25**

