

Linux From Scratch - Version 12.1-systemd		
Chapter 7. Entering Chroot and Building Additional Temporary Tools		
	/	
가		

7.3. 가

가

\$LFS

가

```
mkdir -pv $LFS/{dev,proc,sys,run}
```

7.3.1. dev

LFS /dev devtmpfs 가

, udev 가

(9.3.2.2 " ") devtmpfs

, \$LFS/dev devtmpfs

/dev devtmpfs , \$LFS/dev

/dev /dev

```
mount -v --bind /dev $LFS/dev
```

7.3.2. 가

가

```
mount -vt devpts devpts -o gid=5,mode=0620 $LFS/dev/pts
mount -vt proc proc $LFS/proc
mount -vt sysfs sysfs $LFS/sys
mount -vt tmpfs tmpfs $LFS/run
```

- *gid=5*
devpts

가 ID 5 LFS tty

- *mode=0620*

devpts 가 0620¹⁾
devpts가 grantpt()
Glibc pt_chown

/run tmpfs가

/dev/shm (/run/shm)

/dev/shm tmpfs /dev
/dev/shm tmpfs

```
if [ -h $LFS/dev/shm ]; then
  install -v -d -m 1777 $LFS$(realpath /dev/shm)
else
  mount -vt tmpfs -o nosuid,nodev tmpfs $LFS/dev/shm
fi
```

1)

rw-r-- 가 , 가

From:
<https://www.gamu.kr/dokuwiki/> -

Permanent link:
https://www.gamu.kr/dokuwiki/linuxfromscratch/12.1/060-preparing_virtual_kernel_file_systems?rev=1718106847

Last update: 2024/06/11 11:54

