

Linux From Scratch - Version 12.1-systemd		
Chapter 7. Entering Chroot and Building Additional Temporary Tools		
	/	
가		

7.4. Chroot 가

가 root 가 chroot

```
chroot "$LFS" /usr/bin/env -i \
HOME=/root \
TERM="$TERM" \
PS1='(lfs chroot) \u:\w\$ ' \
PATH=/usr/bin:/usr/sbin \
MAKEFLAGS="-j$(nproc)" \
TESTSUITEFLAGS="-j$(nproc)" \
/bin/bash --login
```

가 \$(nproc) . 8 (Autoconf, Libtool, Tar)
MAKEFLAGS TESTSUITEFLAGS

env -i chroot 가 HOME, TERM, PS1
PATH . TERM=\$TERM TERM chroot
vim . CFLAGS

CXXFLAGS 가

chroot (/) LFS \$LFS Bash LFS 가 ,
/tools/bin

bash I have no name! 가 ! /etc/passwd



7.3.1 "/dev 가
chroot 7.3.2 " 가

From:
<https://www.gamu.kr/dokuwiki/> -

Permanent link:
https://www.gamu.kr/dokuwiki/linuxfromscratch/12.1/061-entering_the_chroot_environment?rev=1718009005

Last update: **2024/06/10 08:43**

