


```
LC_8=ko_KR.UTF-8
LC_CTYPE=C.UTF-8
LC_MESSAGES=C.UTF-8
LC_MONETARY=C.UTF-8
LC_NUMERIC=C.UTF-8
LC_TIME=C.UTF-8
LANG=C.UTF-8
Glibc
```

```
locale: Cannot set LC_* to default locale: No such file or directory
```

```
localedef
LANG=C.UTF-8
LC_CTYPE=C.UTF-8
LC_MESSAGES=C.UTF-8
LC_MONETARY=C.UTF-8
LC_NUMERIC=C.UTF-8
LC_TIME=C.UTF-8
Linux
/etc/locale.conf
```

```
cat > /etc/locale.conf << "EOF"
LANG=<ll>_<CC>.<charmap><@modifiers>
EOF
```

```
/bin/bash( " " )
/etc
/bin/login /etc/passwd
( :[prompt]$/bin/bash).
/etc/locale.conf
/etc/profile' /etc/locale.conf
C.UTF-8 (Linux
).
```

```
cat > /etc/profile << "EOF"
# Begin /etc/profile

for i in $(locale); do
    unset ${i%=*}
done

if [[ "$TERM" = linux ]]; then
    export LANG=C.UTF-8
else
    source /etc/locale.conf

    for i in $(locale); do
```

```

key=${i%=*}
if [[ -v $key ]]; then
    export $key
fi
done
fi
# End /etc/profile
EOF

```

```

systemd localectl          /etc/locale.conf
localectl                   :

```

```
localectl set-locale LANG="<ll>_<CC>.<charmap><@modifiers>"
```

```

locale      LANG, LC_CTYPE, LC_NUMERIC
            . LANG en_US.UTF-8          LC_CTYPE en_US
            :

```

```
localectl set-locale LANG="en_US.UTF-8" LC_CTYPE="en_US"
```



localectl systemd LFS

```

C( ) en_US( ) . C US-ASCII 7
   가
ls      . Mutt Pine
        가 ( unknown
8-bit  ). 8 가 C

```

From: <https://www.gamu.kr/dokuwiki/> -

Permanent link: https://www.gamu.kr/dokuwiki/linuxfromscratch/12.1/160-configuring_the_system_locale?rev=1716135862

Last update: 2024/05/19 16:24

