

1.5.2.

가
가 config.log

1.5.3.

make

make

```
gcc -DALIASPATH="/mnt/lfs/usr/share/locale:." -
DLOCALEDIR="/mnt/lfs/usr/share/locale" -DLIBDIR="/mnt/lfs/usr/lib" -
DINCLUDEDIR="/mnt/lfs/usr/include" -DHAVE_CONFIG_H -I. -I. -g -O2 -c
getopt1.c
gcc -g -O2 -static -o make ar.o arscan.o commands.o dir.o expand.o file.o
function.o getopt.o implicit.o job.o main.o misc.o read.o remake.o rule.o
signature.o variable.o vpath.o default.o remote-stub.o version.o opt1.o
-lutil job.o: In function `load_too_high'.
/lfs/tmp/make-3.79.1/job.c:1565: undefined reference
to `getloadavg'
collect2: ld returned 1 exit status
make[2]: *** [make] Error 1
make[2]: Leaving directory `/lfs/tmp/make-3.79.1'
make[1]: *** [all-recursive] Error 1
make[1]: Leaving directory `/lfs/tmp/make-3.79.1'
make: *** [all-recursive-am] Error 2
```

가

```
make [2]: *** [make] Error 1
```

가

가

From:
<https://www.gamu.kr/dokuwiki/> -

Permanent link:
https://www.gamu.kr/dokuwiki/linuxfromscratch/12.4/linux_from_scratch/017-help?rev=1767343110

Last update: **2026/01/02 08:38**

