



### 1.5.2. Configure

```
configure          가          config.log          .  
configure          가          .
```

### 1.5.3.

```
make          .  
          make          .
```

```
gcc -DALIASPATH=\"/mnt/lfs/usr/share/locale:.\" -  
DLOCALEDIR=\"/mnt/lfs/usr/share/locale\" -DLIBDIR=\"/mnt/lfs/usr/lib\" -  
DINCLUDEDIR=\"/mnt/lfs/usr/include\" -DHAVE_CONFIG_H -I. -I. -g -O2 -c  
getopt1.c  
gcc -g -O2 -static -o make ar.o arscan.o commands.o dir.o expand.o file.o  
function.o getopt.o implicit.o job.o main.o misc.o read.o remake.o rule.o  
signame.o variable.o vpath.o default.o remote-stub.o version.o opt1.o  
-lutil job.o: In function `load_too_high'.  
/lfs/tmp/make-3.79.1/job.c:1565: undefined reference  
to `getloadavg'  
collect2: ld returned 1 exit status  
make[2]: *** [make] Error 1  
make[2]: Leaving directory `/lfs/tmp/make-3.79.1'  
make[1]: *** [all-recursive] Error 1  
make[1]: Leaving directory `/lfs/tmp/make-3.79.1'  
make: *** [all-recursive-am] Error 2
```

가 .

```
make [2]: *** [make] Error 1
```

가

가 .

From:

<https://www.gamu.kr/dokuwiki/> -

Permanent link:

[https://www.gamu.kr/dokuwiki/linuxfromscratch/12.4/linux\\_from\\_scratch/017-help?rev=1767344433](https://www.gamu.kr/dokuwiki/linuxfromscratch/12.4/linux_from_scratch/017-help?rev=1767344433)

Last update: **2026/01/02 09:00**

