

Host LFS chroot

6

```

:
auto-lfs s : chroot
auto-lfs c : chroot

```



LFS, LFS_PART /boot, /boot/efi, /home, /sources

```

#!/bin/bash
# LFS 12.1-systemd
# <7.2 >
# 가 /
# Begin ~/bin/lfs-env-config

VERSION=0.1.7
LFS=/mnt/lfs
LFS_PART=/dev/nvme0n1p8
LFS_BOOT=/dev/nvme0n1p6
LFS_EFI=/dev/nvme0n1p2
LFS_HOME=/dev/nvme0n1p7

#
if ! mountpoint -q $LFS;          then mount $LFS_PART $LFS; fi
if ! mountpoint -q $LFS/boot;    then mount $LFS_BOOT $LFS/boot; fi
if ! mountpoint -q $LFS/boot/efi; then mount $LFS_EFI $LFS/boot/efi; fi
if ! mountpoint -q $LFS/home;    then mount $LFS_HOME $LFS/home; fi
if ! mountpoint -q $LFS/sources; then mount /mnt/nfs/sources $LFS/sources;
fi

# /dev
if [ ! -d $LFS/dev ]; then
    echo "Make necessary directories"
    mkdir -pv $LFS/{dev,proc,sys,run}
else
    echo "All required directories have been verified."
fi

# chroot exit 가
case $1 in
    clean|c|-c)
        if mountpoint -q $LFS/dev/shm; then
            # Unmount Kernel Virtual File System used in previous LFS
            sessions.
            echo "LFS is now set to '$LFS'"
            echo "Now proceed with the unmount of <Kernel Virtual File

```

```
System> for chroot"
    for kvfs in dev/shm dev/pts sys proc run dev ; do
        if mountpoint $LFS/$kvfs; then umount -q $LFS/$kvfs; fi
    done
    findmnt -D -R $LFS
    echo "Ok unmount unnecessary devices"
    echo "Good bye"
    exit 0
else
    echo "Cleanup of Kernel Virtual File System is Complete."
    findmnt -D -R $LFS
    exit 0
fi
;;
start|s|-s)
    # Mount the Kernel Virtual File System to Enter LFS chroot
environment.
    echo "Now proceed with the mount of <Kernel Virtual File System> for
chroot"
    echo "LFS is now set to '$LFS'"
    if ! mountpoint -q $LFS/dev;      then mount --bind /dev $LFS/dev;
fi
    if ! mountpoint -q $LFS/dev/pts; then mount -t devpts devpts -o
gid=5,mode=0620 $LFS/dev/pts; fi
    if ! mountpoint -q $LFS/proc;    then mount -t proc proc $LFS/proc;
fi
    if ! mountpoint -q $LFS/sys;     then mount -t sysfs sysfs $LFS/sys;
fi
    if ! mountpoint -q $LFS/run;     then mount -t tmpfs tmpfs $LFS/run;
fi
    if ! mountpoint -q $LFS/dev/shm; then mount -t tmpfs -o nosuid,nodev
tmpfs $LFS/dev/shm;      fi
    if ! mountpoint -q $LFS/sources; then mount --rbind /mnt/nfs/sources
$LFS/sources;           fi
    findmnt -D -R $LFS
    # Run 'chroot'
    chroot "$LFS" $(type -p env) -i \
        HOME=/root          \
        TERM="$TERM"        \
        PS1='<LFS> \u@\h [ \w ] \$ ' \
        PATH=/usr/bin:/usr/sbin \
        MAKEFLAGS="-j$(nproc)" \
        TESTSUITEFLAGS="-j$(nproc)" \
        NINJAJOBS="$(nproc)" \
        /bin/bash --login
    exit 0
;;
version|v|-v)
    echo "LFS chroot script $VERSION"
    exit 0
;;
```

```

help|h|-h)
    echo "LFS chroot script $VERSION"
    echo "Usage:"
    echo "clean    or c- Unmount Kernel Virtual File System"
    echo "start     or s- Mount and run 'chroot' command with necessary
variables"
    echo "version or v- Print script version"
    echo "help      or h - This screen"
    exit 0
;;
*)
    #Guidance on the factors needed to execute script
    echo "sh ./lfs-env-config [ start | clean | help | version ]"
    exit 0
;;
esac
## End ~/bin/lfs-env-config

```

cd 가 .

```
alias <filename>='source <filename>'
```

:

가

1. URL Git 가
2. 가.zip 가
3. 가
4. 가
- 5.

가

1. alias
2. wget, git, gawk

```

user@host:[ ~ ] $ pre-stage
https://xorg.freedesktop.org/archive/individual/proto/xcb-proto-1.17.0.tar.x
z
xcb-proto-1.17.0.tar 100%
[=====>] 148.19K 302.76KB/s
[Files: 1 Bytes: 148.19K [153.40KB/s] Redirects:
0 Todo: 0 Errors: 0 ]

```

```
user@host:[ /workbench/xcb-proto-1.17.0 ] $ _
```

```
#!/bin/bash

Green='\033[0;32m'
BIGreen='\033[1;32m'
Red='\033[0;31m'
Yellow='\033[0;33m'
Color_Off='\033[0m'

if [ "$(type -t p4c)" != 'alias' ] ; then
    echo -e "p4c is not ${Yellow}alias registered${Color_Off}, so the
functionality is not available."
    source ${HOME}/.bash_aliases
    return 2>&/dev/null
fi

if [ -z "$1" ]; then echo -e "${Green}An appropriate factor (file name or
download link) is required.${Color_Off}"; return; fi
InputStringType=$(echo "$1" | awk 'BEGIN { FS = ":" } ; { print $1 }')
BuildBase="$LFS"/workbench
SourceBase="$LFS"/sources
TargetFile=$(basename "$1")
GitDirCheck=$(basename -s .git "$1")
GitCheck=${TargetFile: -3}
ZipCheck=${TargetFile: -3}
TargetDir=$(echo "$TargetFile" | sed -e 's/\.\tar.*$//' -e 's/\.\tgz*$//' -e
's/\.\src*$//' -e 's/\.\zip*$//' -e 's@^.*/@@')
NotFoundMsg1="The directory derived from the filename is
${BIGreen}$TargetDir${Color_Off}.\n\
However, it does not exist, so it will move to the ${Yellow}most recent
directory created${Color_Off}.\n\
Please check if it is correct."

if [ $(stat -c %u $BuildBase) -ne $(id -u) ] ; then echo -e "Check
${Red}$BuildBase${Color_Off} Ownership"; return; fi

function chg_dir() {
    if [ -d "$1" ]; then
        cd "$1"
    else
        cd $(ls -tcA -w1 | head -n1)
        echo -e "$NotFoundMsg1"
    fi
}

# Change directory "$BuildBase"
if [ "$PWD" != "$BuildBase" ]; then
    chg_dir "$BuildBase"
fi
```

```
## Handling Git
if [ "$GitCheck" == "git" ] ; then
    if [ -d "$GitDirCheck" ] ; then
        chg_dir "$GitDirCheck"
        return
    else
        pushd $SourceBase
        if [ -d $GitDirCheck ] ; then
            rm -rf $GitDirCheck
        fi
        git clone "$1"
        cp -R $GitDirCheck $BuildBase
        popd
#        echo "Git #1"
        chg_dir "$GitDirCheck"
        return
    fi
fi

case "$InputStringType" in
    https|http|ftp)
        wget --no-verbose -nc --directory-prefix="$SourceBase" "$1"
        ;;
    *)
        ;;
esac

# Prepare Package Build
if [ "$ZipCheck" == "zip" ] ; then
    mkdir -p "$TargetDir"
    chg_dir "$TargetDir"
    unzip -q "$SourceBase"/"$TargetFile"
    return
else
    if [ ! -d "$TargetDir" ] ; then
        tar -xf "$SourceBase"/"$TargetFile" 2>/dev/null
    fi
    chg_dir "$TargetDir"
fi

unset InputStringType BuildBase SourceBase TargetFile GitDirCheck GitCheck
ZipCheck TargetDir NotFoundMsg1
```

From:
<https://www.gamu.kr/dokuwiki/> -

Permanent link:
<https://www.gamu.kr/dokuwiki/linuxfromscratch/auto-lfs?rev=1716807876>

Last update: 2024/05/27 11:04



