

1. \$LFS/sources

```
alias dirfind="find -mindepth 1 -maxdepth 1 -type d | sed 's@^./@@"
dirfind | wc -l    ##
rm -rf $(dirfind) ##
```

2. SBU

```
##          +          가
alias lfslog='tee ~/lfs-log/$(case $(basename $(pwd)) in build) echo
$(basename $(dirname $(pwd))); ;; *) echo $(basename $(pwd)); ;;
esac).$(date "+%Y%m%d_%H%M%S").log'
time { ./configure ... && make && make install; } | lfslog
```

3.

```
<a href=""></a> ##
<a target="_blank" rel="noopener noreferrer" href=""></a> ##
```

```
./configure --prefix=/usr \
--bindir=/usr/bin \
--localstatedir=/var \
--disable-logger \
--disable-whois \
--disable-rcp \
--disable-rexec \
--disable-rlogin \
--disable-rsh \
--disable-servers
```

Same Command

```
./configure --prefix=/usr --bindir=/usr/bin --localstatedir=/var \
--disable-{logger,whois,r{cp,exec,login,sh},servers}
```

tar

```
tar -cf - . | tar -xvf - -C /target_directory
```

find example

```
##      가 50M      .deb, .vmdk      가  
## Operator AND = -and, -a, OR= -or = -o, NOT = !  
find /media/d/ -type f -size +50M -and ! -name "*deb" -and ! -name "*vmdk"
```

grep example

```
##      grep      가      .  
$ grep 'printf' fileio.c  
    printf("FILE open Error\n");  
    printf("chi = %c\n", chi);  
    printf("cho = %c\n", cho);  
    printf("FILE open Error\n");  
    printf("chi = %c\n", chi);  
    printf("cho = %c\n", cho);  
  
## -n      line      .  
$ grep -n 'printf' fileio.c  
11:    printf("FILE open Error\n");  
18:    printf("chi = %c\n", chi);  
19:    printf("cho = %c\n", cho);  
25:    printf("FILE open Error\n");  
31:    printf("chi = %c\n", chi);  
32:    printf("cho = %c\n", cho);  
  
## -v      'chi'      print      .  
$ grep -n 'printf' fileio.c | grep -v 'chi'  
11:    printf("FILE open Error\n");  
19:    printf("cho = %c\n", cho);  
25:    printf("FILE open Error\n");  
32:    printf("cho = %c\n", cho);  
  
## grep      print      .  
$ grep -n 'printf' fileio.c | grep -v 'chi' | grep -v 'cho'  
11:    printf("FILE open Error\n");  
25:    printf("FILE open Error\n");
```

```
## -Ev          grep          (|)          .  
$ grep -n 'printf' fileio.c | grep -Ev 'chi|cho'  
11:          printf("FILE open Error\n");  
25:          printf("FILE open Error\n");
```

```
grep -rļ '#!.*python' | xargs sed -i 's/python$/python3/'
```

```
//          1      #!          python          python  
python3  
#!/usr/bin/env python      #  
#!/usr/bin/env python3      #
```

From:

<https://www.gamu.kr/dokuwiki/> -

Permanent link:

<https://www.gamu.kr/dokuwiki/linuxfromscratch/shellcommand?rev=1712558532>

Last update: **2024/04/08 06:42**

